Medicine Support Jelly Orange Name: Drinking water (jelly drink) • Ingredients: Maltose, sugar, agar/ sweetener(xylitol), gelling agent (polysaccharide thickener), acidulant, flavoring agent, calcium lactate, preservatives (sodium benzoate, benzoic acid), food coloring (food yellow no. 5) • 6g per pack •Best-by date: listed below • Store away from direct sunlight in a cool dry place.	Medicine Support Jelly Grape Name: Drinking water (jelly drink) Ingredients: Erythritol, maltose, agar/gelling agent (polysaccharide thickener), acidulant, calcium lactate, flavoring agent @6g per pack @Best-by before: listed below @ Store away from direct sunlight in a cool dry place.	<section-header><section-header></section-header></section-header>
Nutrition Facts (per 6g packet) Energy 2.9kcal Sodium 0.0074g Protein 0.0g Potassium 0.1mg Fat 0.0g Calcium 2.6mg Carbohydrates 0.8g	Nutrition Facts (per 6g packet) Energy 2.9kcal Sodium 0.0074g Protein 0.0g Potassium 0.1mg Fat 0.0g Calcium 2.6mg Carbohydrates 0.8g	
Best-by Date 2024.10	Best-by Date 2024.10	

- Recommended for people who have problems taking medicine.
 - Take medicine without water!

MORIMOTO-PHARMA CO., LTD.



Purchase here
(E-commerce Site)



◀e─Jelly homepage

Rakuten (individuals)

Askul, Monotaro (corporations)

Warnings: Knead well before opening. After opening, refrigerate and use same

day. •A small amount of water may separate from jelly. •May cause diarrhea. • This product is intended for assisting in the taking of medicine, supplement with

water as needed. May increase bitterness of some medications. If packet is leaking do not use. Take care not to cut hands or mouth on edges of packet.

Morimoto-Pharma (both individuals and corporations)

MORIMOTO-PHARMA CO., LTD.

Purchase

Online

Customer Consultation:0120-600-937 (Japan: 9-5pm M-F) http://morimoto-iyaku.jp E-mail customer@m-ph.co.jp



For First Time Users of e-Jelly (Medicine Support Jelly)

Let's check it out!



First practice taking e-Jelly by itself without adding any medicine.



Dispense jelly on back of tongue. This aids in swallowing jelly correctly. Using a narrow spoon is recommended.



Don't chew and swallow as is.



Once you get the proper feeling for it, use e-Jelly with medicine to make taking medicine easier.



e-Jelly makes taking medicine easy. It is easier to use than water and there is no water separation. This helps reduces the risk of aspiration pneumonia.

How to Use

Using Packet







Using Spoon

 Fill spoon halfway with jelly. Add medicine. Add jelly to fully cover. Swallow.



%Put powders and granules into edible film before using